

**EAST Search History****EAST Search History (Prior Art)**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	12	"I1" and heat\$3 with critical near2 temperature.clm.	US-PGPUB; USPAT	OR	ON	2010/09/10 10:10
S1	2	US-4464244-\$,DID, OR US-4882030-\$,DID, OR EP-0949505-\$,DID	US-PGPUB; USPAT; USOCR	OR	ON	2010/02/02 14:49
S2	261	((ROBERT) near2 (GRANT)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2010/02/02 14:52
S3	81	((ROBERT) near2 (GRANT)).INV.	EPO; JPO; DERWENT	OR	ON	2010/02/02 14:52
S4	1	(10/568331).APP.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/02/02 16:16
S5	261	((ROBERT) near2 (GRANT)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2010/02/02 17:00
S6	8	S5 and (oxygen or "o.sub.2") with contamin\$4	US-PGPUB; USPAT; USOCR	OR	ON	2010/02/02 17:00
S7	14	(("6153072") or ("4722779") or ("4882033") or ("5827415") or ("6355151") or ("20030121801") or ("6136170")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/02/03 16:32
S8	2	("20030121801").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/02/04 09:56
S9	4133	((204/410,411,421-429) or (205/781,783,5-785,787.ccls.)).CLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/02/04 10:24
S10	105	S9 and hydrocarbon with oxygen near2 sensor	US-PGPUB; USPAT	OR	ON	2010/02/04 10:25
S11	0	S10 and dehydrogenation	US-PGPUB; USPAT	OR	ON	2010/02/04 10:25
S12	0	S10 and dehydrogenat\$3	US-PGPUB; USPAT	OR	ON	2010/02/04 10:25
S13	6	S10 and reduc\$4 near2 hydrocarbon	US-PGPUB; USPAT	OR	ON	2010/02/04 10:26

**EAST Search History (Interference)**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp

L1	3132	((204/410,411,421-429) or (205/781,783.5-785,787 cols.)).OCLS.	US- PGPUB; USPAT; UPAD	OR	OFF	2010/09/10 10:09
L2	0	("l1 and heat\$3 with critical near2 temperature.clm.").PN.	US- PGPUB; USPAT; UPAD	OR	OFF	2010/09/10 10:10
L4	12	"l1" and heat\$3 with critical near2 temperature.clm.	US- PGPUB; USPAT; UPAD	OR	ON	2010/09/10 10:10
L5	0	l1 and heat\$3 with critical near2 temperature.clm.	US- PGPUB; USPAT; UPAD	OR	ON	2010/09/10 10:11
L6	4	l1 and heat\$3 with critical near2 temperature	US- PGPUB; USPAT; UPAD	OR	ON	2010/09/10 10:12
L7	0	l1 and heat\$3 with critical near2 temperature near3 titration near2 phase	US- PGPUB; USPAT; UPAD	OR	ON	2010/09/10 10:12
L8	0	heat\$3 with critical near2 temperature near3 titration near2 phase	US- PGPUB; USPAT; UPAD	OR	ON	2010/09/10 10:12
L9	0	heat\$3 same critical near2 temperature near3 titration near2 phase	US- PGPUB; USPAT; UPAD	OR	ON	2010/09/10 10:13
L10	0	heat\$3 same critical near2 temperature near3 titration near2 phase.clm.	US- PGPUB; USPAT; UPAD	OR	ON	2010/09/10 10:13

9/10/2010 10:15:54 AM

C:\Documents and Settings\gkaur\My Documents\EAST\Workspaces\10568331.wsp